
FIG - 1


Compatibility of 0.4% Carbopol(R) ETD 2020 Polymer with 0.3%

Cetrimonium Chloride, at pH 7.0 – 7.5 w/NaOH



Compatibility of 0.4% Carbopol(R) ETD 2020 Polymer with 0.3% Stearalkonium Chloride, at pH 7.0 - 7.5 w/NaOH

**FIG - 2** 



Compatibility of Carbopol(R) ETD 2020 with 0.3% Olealkonium Chloride, at pH 7.0-7.5 w/NaOH

**FIG - 3** 




FIG - 4

Compatibility of 0.4% Carbopol(R) 980 Polymer with 0.3% Stearalkonium Chloride, at pH 7.0 - 7.5 w/NaOH




FIG - 5

Compatibility of Carbopol(R) Ultrez 21 Polymer with 0.3% Olealkonium Chloride, at pH 7.0 - 7.5 w/NaOH




FIG - 6

Compatibility of Carbopol(R) ETD 2050 with 0.3% Cetrimonium Chloride, at pH 7.0 - 7.5 w/NaOH




FIG - 7

Rubine Dye Test (Cetrimonium Chloride)




FIG - 8

Rubine Dye Test (Stearalkonium Chloride)




FIG - 9

Rubine Dye Test (Olealkonium Chloride)




FIG - 10

Work to Comb Through Wet Tresses (Cetrimonium Chloride)




FIG - 11

Work to Comb Through Wet Tresses (Cetrimonium Chloride)

